

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 1 of 18

mtm plastics GmbH
 Frau Anja Meyer
 Bahnhofstr. 106
 99759 Niedergerbra
 GERMANY

The following sample(s) was/were submitted and identified by/on behalf of the client as:

SGS Job file : 4457673
 Order date : 08/FEB/2018
Order number : -
 Sampling : by Client or by a third party acting at the Client's direction
 Condition of the samples : appropriate for testing
 Sample receiving Date : 13/FEB/2018
 Testing period : 13/FEB/2018 – 09/MAR/2018

Sample No	Sample designation
180145045	Purpolen PE grey

Remark : mixed sample of grey and green granules

Applied analytical technique

Test Requested : As requested by client, SVHC screening is performed according to:
 (i) One hundred and eighty one (181) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Jan 15, 2018 regarding Regulation (EC) No 1907/2006 concerning the REACH.
 Test Result(s) : Please refer to following pages.

Summary:

According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope and evaluation screening, the test results of SVHC are $\leq 0.1\%$ (w/w) in the articles of the submitted sample.	PASS
---	------

SGS INSTITUT FRESENIUS GmbH

i.V. 

Wera Leonhard / cg
 Projektleiterin / Project Manager
 Consumer and Retail
 Tel. +49 (0)6128 / 744 - 186

i.A. 

Annkatrin Kuhl
 Projektleiterin / Project Manager
 Consumer and Retail
 Tel. +49 (0)6128 / 744 - 280

R:\M\mtm plastics GmbH_10070390\2018\4457673\4457673-15_SVHC.doc

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 2 of 18

mtm plastics GmbH
Bahnhofstr. 106
99759 Niedergebra
GERMANY

Remark :

- (1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:

<http://echa.europa.eu/web/guest/candidate-list-table>

These lists are under evaluation by ECHA and may subject to change in the future.

- (2) Concerning article(s):

In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

SGS adopts the ruling of the Court of Justice of the European Union on the definition of an article under REACH unless indicated otherwise. Detail explanation is available at the following link:

<http://www.sgs.com/-/media/global/documents/technical-documents/technical-bulletins/sgs-crs-position-statement-on-svhc-in-articles-a4-en-16-06.pdf?la=en>

- (3) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

- (4) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

- a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 3 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

- a mixture that is classified as dangerous according Dangerous Preparations Directive 1999/45/EC or classified as hazardous under the CLP Regulation (EC) No 1272/2008, when their concentrations are equal to, or greater than, those defined in the Article 3(3) of 1999/45/EC or the lower values given in Part 3 of Annex VI of Regulation (EC) No. 1272/2008; or

- a mixture is not classified as dangerous under Directive 1999/45/EC, but contains either:
 - (a) a substance posing human health or environmental hazards in an individual concentration of ≥ 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or ≥ 0.2 % by volume for gaseous mixtures; or
 - (b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
 - (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
 - (d) a substance for which there are Europe-wide workplace exposure limits.

(5) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Sample :

Sample Description:

	SGS IF Sample ID 180145045	Sample designation Purpolen PE grey
Specimen No. 1	SGS HK Sample ID 007	Description Green plastic

Test Method:

SGS In-House method, Analyzed by ICP-OES, UV-VIS, GC-MS, HPLC-DAD/MS and Colorimetric Method.
 (Cooperation with SGS Hongkong)

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 4 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergerbra
 GERMANY

Test Result: (Substances in the Candidate List of SVHC)

Batch	Substance Name	CAS No.	180145045 Concentration (%)	RL (%)
VIII	[Phthalato(2-)]dioxotrilead*	69011-06-9	0.013	0.005
VIII	Dioxobis(stearato)trilead*	12578-12-0	0.020	0.005
VIII	Fatty acids, C16-18, lead salts*	91031-62-8	0.037	0.005
VIII	Lead cyanamidate*	20837-86-9	0.012	0.005
VIII	Lead dinitrate*	10099-74-8	0.016	0.005
VIII	Lead monoxide*	1317-36-8	0.011	0.005
VIII	Lead oxide sulfate*	12036-76-9	0.013	0.005
VIII	Lead tetroxide (orange lead)*	1314-41-6	0.011	0.005
VIII	Lead titanium trioxide*	12060-00-3	0.015	0.005
VIII	Pentalead tetraoxide sulphate*	12065-90-6	0.012	0.005
VIII	Sulfurous acid, lead salt, dibasic*	62229-08-7	0.013	0.005
VIII	Tetralead trioxide sulphate*	12202-17-4	0.012	0.005
VIII	Trilead bis(carbonate)dihydroxide (basic lead carbonate)*	1319-46-6	0.013	0.005
VIII	Trilead dioxide phosphonate*	12141-20-7	0.012	0.005
IX	Cadmium oxide*	1306-19-0	0.007	0.005
IX	Cadmium	7440-43-9	0.006	0.005
X	Cadmium sulphide*	1306-23-6	0.008	0.005
X	Lead di(acetate)*	301-04-2	0.016	0.005
XI	Cadmium chloride*	10108-64-2	0.010	0.005

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 5 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

Batch	Substance Name	CAS No.	180145045 Concentration (%)	RL (%)
XVIII	Cadmium nitrate*	10022-68-1,10 325-94-7	0.013	0.005
XVIII	Cadmium carbonate*	513-78-0	0.010	0.005
XVIII	Cadmium hydroxide*	21041-95-2	0.008	0.005
-	Other tested SVHC in candidate list	-	ND	-

Notes:

- The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.
- RL = Reporting Limit. All RL are based on homogenous material
 ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
- * The test result is based on the calculation of selected element(s) and to the worst-case scenario.
 ** The test result is based on the calculation of selected marker(s) and to the worst-case scenario.
 For detail information, please refer to the SGS REACH website: www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm
- RL = 0.01% is evaluated for element (i.e. cobalt, arsenic, lead, chromium (VI), aluminum, zirconium, boron, strontium, zinc, antimony, titanium, barium and cadmium respectively), except molybdenum RL=0.001%, boron RL=0.005% (only for Lead bis(tetrafluoroborate)), chromium (VI) RL=0.005% (only for Pentazinc chromate octahydroxide).
- Calculated concentration of boric compounds are based on the total/water extractive boron by ICP-OES.
- ^Δ CAS No. of diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD): 134237-50-6, 134237-51-7, 134237-52-8
- ☆ CAS No. of Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride: 25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9; EC No. of those: 247-094-1, 243-072-0, 256-356-4, 260-566-1.
- § The substance is proposed for the identification as SVHC only where it contains Michler's ketone (CAS Number: 90-94-8) or Michler's base (CAS Number: 101-61-1) ≥0.1% (w/w).
- Composite test has been performed in equal proportion for the components/material per client requested. And the result is calculated using the minimum sample weight.
- In consideration of the analysis requirement and the limit of sample volume, the screening test for the article is based on components / material enough to test.

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 6 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

11. The test results were obtained from a SGS affiliated laboratory.

Appendix
Full list of tested SVHC:

Batch	No.	Substance Name	CAS No.	RL (%)
I	1	4,4'-Diaminodiphenylmethane(MDA)	101-77-9	0.100
I	2	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	0.100
I	3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	0.100
I	4	Anthracene	120-12-7	0.100
I	5	Benzyl butyl phthalate (BBP)	85-68-7	0.100
I	6	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.100
I	7	Bis(tributyltin)oxide (TBTO)	56-35-9	0.100
I	8	Cobalt dichloride*	7646-79-9	0.010
I	9	Diarsenic pentaoxide*	1303-28-2	0.010
I	10	Diarsenic trioxide*	1327-53-3	0.010
I	11	Dibutyl phthalate (DBP)	84-74-2	0.100
I	12	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD) ^Δ	25637-99-4, 3194- 55-6	0.100
I	13	Lead hydrogen arsenate*	7784-40-9	0.010
I	14	Sodium dichromate*	7789-12-0, 10588-01-9	0.010
I	15	Triethyl arsenate*	15606-95-8	0.010
II	16	2,4-Dinitrotoluene	121-14-2	0.100

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 7 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
II	17	Acrylamide	79-06-1	0.100
II	18	Anthracene oil**	90640-80-5	0.100
II	19	Anthracene oil, anthracene paste**	90640-81-6	0.100
II	20	Anthracene oil, anthracene paste, anthracene fraction**	91995-15-2	0.100
II	21	Anthracene oil, anthracene paste, distr. Lights**	91995-17-4	0.100
II	22	Anthracene oil, anthracene-low**	90640-82-7	0.100
II	23	Diisobutyl phthalate	84-69-5	0.100
II	24	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	0.010
II	25	Lead chromate*	7758-97-6	0.010
II	26	Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	0.010
II	27	Pitch, coal tar, high temp. **	65996-93-2	0.100
II	28	Tris(2-chloroethyl)phosphate	115-96-8	0.100
III	29	Ammonium dichromate*	7789-09-5	0.010
III	30	Boric acid*	10043-35-3, 11113-50-1	0.010
III	31	Disodium tetraborate, anhydrous*	1303-96-4, 1330-43-4, 12179-04-3	0.010
III	32	Potassium chromate*	7789-00-6	0.010
III	33	Potassium dichromate*	7778-50-9	0.010
III	34	Sodium chromate*	7775-11-3	0.010

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 8 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergebra
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
III	35	Tetraboron disodium heptaoxide, hydrate*	12267-73-1	0.010
III	36	Trichloroethylene	79-01-6	0.100
IV	37	2-Ethoxyethanol	110-80-5	0.100
IV	38	2-Methoxyethanol	109-86-4	0.100
IV	39	Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	7738-94-5,- 13530-68-2	0.010
IV	40	Chromium trioxide*	1333-82-0	0.010
IV	41	Cobalt(II) carbonate*	513-79-1	0.010
IV	42	Cobalt(II) diacetate*	71-48-7	0.010
IV	43	Cobalt(II) dinitrate*	10141-05-6	0.010
IV	44	Cobalt(II) sulphate*	10124-43-3	0.010
V	45	1,2,3-trichloropropane	96-18-4	0.100
V	46	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	0.100
V	47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	0.100
V	48	1-methyl-2-pyrrolidone	872-50-4	0.100
V	49	2-ethoxyethyl acetate	111-15-9	0.100
V	50	Hydrazine	7803-57-8, 302-01-2	0.100
V	51	strontium chromate*	7789-06-2	0.010
VI	52	1,2-Dichloroethane	107-06-2	0.100

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 9 of 18

 mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
VI	53	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	0.100
VI	54	2-Methoxyaniline; o-Anisidine	90-04-0	0.100
VI	55	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.100
VI	56	Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	0.010
VI	57	Arsenic acid*	7778-39-4	0.010
VI	58	Bis(2-methoxyethyl) ether	111-96-6	0.100
VI	59	Bis(2-methoxyethyl) phthalate	117-82-8	0.100
VI	60	Calcium arsenate*	7778-44-1	0.010
VI	61	Dichromium tris(chromate)*	24613-89-6	0.010
VI	62	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	0.100
VI	63	Lead diazide, Lead azide*	13424-46-9	0.010
VI	64	Lead dipicrate*	6477-64-1	0.010
VI	65	Lead styphnate*	15245-44-0	0.010
VI	66	N,N-dimethylacetamide	127-19-5	0.100
VI	67	Pentazinc chromate octahydroxide*	49663-84-5	0.010
VI	68	Phenolphthalein	77-09-8	0.100
VI	69	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	0.010
VI	70	Trilead diarsenate*	3687-31-8	0.010

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 10 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergebra
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
VI	71	Zirconia Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	0.010
VII	72	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [§]	2580-56-5	0.100
VII	73	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [§]	548-62-9	0.100
VII	74	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	0.100
VII	75	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	0.100
VII	76	4,4'-bis(dimethylamino) benzophenone (Michler's Ketone)	90-94-8	0.100
VII	77	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [§]	561-41-1	0.100
VII	78	Diboron trioxide*	1303-86-2	0.010
VII	79	Formamide	75-12-7	0.100
VII	80	Lead(II) bis(methanesulfonate)*	17570-76-2	0.010
VII	81	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	0.100
VII	82	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	2451-62-9	0.100
VII	83	α,α -Bis[4-(dimethylamino)phenyl]-4(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [§]	6786-83-0	0.100
VII	84	β -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	0.100
VIII	85	[Phthalato(2-)]dioxotrilead*	69011-06-9	0.010

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 11 of 18

 mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
VIII	86	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.100
VIII	87	1,2-Diethoxyethane	629-14-1	0.100
VIII	88	1-Bromopropane	106-94-5	0.100
VIII	89	3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.100
VIII	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	-	0.100
VIII	91	4,4'-Methylenedi- <i>o</i> -toluidine	838-88-0	0.100
VIII	92	4,4'-Oxydianiline and its salts	101-80-4	0.100
VIII	93	4-Aminoazobenzene	60-09-3	0.100
VIII	94	4-Methyl- <i>m</i> -phenylenediamine	95-80-7	0.100
VIII	95	4-Nonylphenol, branched and linear	-	0.100
VIII	96	6-Methoxy- <i>m</i> -toluidine	120-71-8	0.100
VIII	97	Acetic acid, lead salt, basic*	51404-69-4	0.010
VIII	98	Biphenyl-4-ylamine	92-67-1	0.100
VIII	99	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5	0.100
VIII	100	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7, 13149-00-3, 14166-21-3	0.100
VIII	101	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	0.100
VIII	102	Dibutyltin dichloride (DBTC)	683-18-1	0.100

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 12 of 18

 mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergebra
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
VIII	103	Diethyl sulphate	64-67-5	0.100
VIII	104	Diisopentylphthalate	605-50-5	0.100
VIII	105	Dimethyl sulphate	77-78-1	0.100
VIII	106	Dinoseb	88-85-7	0.100
VIII	107	Dioxobis(stearato)trilead*	12578-12-0	0.010
VIII	108	Fatty acids, C16-18, lead salts*	91031-62-8	0.010
VIII	109	Furan	110-00-9	0.100
VIII	110	Henicosafuoroundecanoic acid	2058-94-8	0.100
VIII	111	Heptacosafuorotetradecanoic acid	376-06-7	0.100
VIII	112	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	☆	0.100
VIII	113	Lead bis(tetrafluoroborate)*	13814-96-5	0.010
VIII	114	Lead cyanamidate*	20837-86-9	0.010
VIII	115	Lead dinitrate*	10099-74-8	0.010
VIII	116	Lead monoxide*	1317-36-8	0.010
VIII	117	Lead oxide sulfate*	12036-76-9	0.010
VIII	118	Lead tetroxide (orange lead)*	1314-41-6	0.010
VIII	119	Lead titanium trioxide*	12060-00-3	0.010
VIII	120	Lead titanium zirconium oxide*	12626-81-2	0.010

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 13 of 18

 mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
VIII	121	Methoxyacetic acid	625-45-6	0.100
VIII	122	Methyloxirane (Propylene oxide)	75-56-9	0.100
VIII	123	N,N-Dimethylformamide	68-12-2	0.100
VIII	124	N-Methylacetamide	79-16-3	0.100
VIII	125	N-Pentyl-isopentylphthalate	776297-69-9	0.100
VIII	126	<i>o</i> -Aminoazotoluene	97-56-3	0.100
VIII	127	<i>o</i> -Toluidine	95-53-4	0.100
VIII	128	Pentacosafuorotridecanoic acid	72629-94-8	0.100
VIII	129	Pentalead tetraoxide sulphate*	12065-90-6	0.010
VIII	130	Pyrochlore, antimony lead yellow*	8012-00-8	0.010
VIII	131	Silicic acid, barium salt, lead-doped*	68784-75-8	0.010
VIII	132	Silicic acid, lead salt*	11120-22-2	0.010
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	0.010
VIII	134	Tetraethyllead*	78-00-2	0.010
VIII	135	Tetralead trioxide sulphate*	12202-17-4	0.010
VIII	136	Tricosafuorododecanoic acid	307-55-1	0.100
VIII	137	Trilead bis(carbonate)dihydroxide (basic lead carbonate)*	1319-46-6	0.010
VIII	138	Trilead dioxide phosphonate*	12141-20-7	0.010
IX	139	4-Nonylphenol, branched and linear, ethoxylated	-	0.100

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 14 of 18

 mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergera
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
IX	140	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	0.100
IX	141	Cadmium oxide*	1306-19-0	0.010
IX	142	Cadmium	7440-43-9	0.010
IX	143	Dipentyl phthalate (DPP)	131-18-0	0.100
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.100
X	145	Cadmium sulphide*	1306-23-6	0.010
X	146	Dihexyl phthalate	84-75-3	0.100
X	147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.100
X	148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.100
X	149	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.100
X	150	Lead di(acetate)*	301-04-2	0.010
X	151	Trixylyl phosphate	25155-23-1	0.100
XI	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.100
XI	153	Cadmium chloride*	10108-64-2	0.010
XI	154	Sodium perborate; perboric acid, sodium salt*	-	0.010
XI	155	Sodium peroxometaborate*	7632-04-4	0.010
XII	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.100
XII	157	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.100

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 15 of 18

mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergerbra
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
XII	158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	0.100
XII	159	Cadmium fluoride*	7790-79-6	0.010
XII	160	Cadmium sulphate*	10124-36-4, 31119-53-6	0.010
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate & 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE & MOTE)	-	0.100
XIII	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5, 68648-93-1	0.100
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	-	0.100
XIV	164	1,3-propanesultone	1120-71-4	0.100
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol (UV-327)	3864-99-1	0.100
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	0.100
XIV	167	Nitrobenzene	98-95-3	0.100
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1, 21049-39-8, 4149-60-4	0.100
XV	169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.100

Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 16 of 18

 mtm plastics GmbH
 Bahnhofstr. 106
 99759 Niedergebra
 GERMANY

Batch	No.	Substance Name	CAS No.	RL (%)
XVI	170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.100
XVI	171	4-Heptylphenol, branched and linear	-	0.100
XVI	172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7, 335-76-2, 3830-45-3	0.100
XVI	173	p-(1,1-dimethylpropyl)phenol	80-46-6	0.100
XVII	174	Perfluorohexane-1-sulphonic acid and its salts	-	0.100
XVIII	175	Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octa deca-7,15-diene ("Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	0.100
XVIII	176	Benz[a]anthracene	56-55-3, 1718-53-2	0.100
XVIII	177	Cadmium nitrate*	10022-68-1, 10325-94-7	0.010
XVIII	178	Cadmium carbonate*	513-78-0	0.010
XVIII	179	Cadmium hydroxide*	21041-95-2	0.010
XVIII	180	Chrysene	218-01-9, 1719-03-5	0.100
XVIII	181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	0.100

Test Report

No. 4457673-15

Date: 09/MAR/2018


Page 17 of 18

mtm plastics GmbH
Bahnhofstr. 106
99759 Niedergera
GERMANY

ATTACHMENTS

SVHC Testing Flow Chart

- 1) Name of the person who made testing: Hogan Lv / Iris Zhong
- 2) Name of the person in charge of testing: Lireny Liu



Test Report

No. 4457673-15

Date: 09/MAR/2018

Page 18 of 18

mtm plastics GmbH
Bahnhofstr. 106
99759 Niedergera
GERMANY

Sample Photo(s)



End of test report

This document is issued by the Company subject to its General Conditions of Service (www.sgsgroup.de/agb). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.